



AIR TOMOS AND RADIATION DEVANCH U.S. 1841, REGION V

Body & Assembly Operations Technical & Transportation Services Environmental Services

July 19, 1993

Rochelle Marceillars
Air Toxics and Radiation Branch (5AT-26)
Air and Radiation Division
U. S. EPA, Region V
230 S. Dearborn
Chicago, Illinois 60604

Subject: Notification of Intent to Remove Asbestos During a Renovation Project.

We are providing information related to the removal and encapsulation of asbestos during renovation at the Powerhouse located in the Ford Motor Company River Rouge Complex at 3001 Miller Road, Dearborn, Michigan.

If you have any questions or require further information, please contact me at (313) 323-0883.

J. D. Preece

copy to: Asbestos Notification Coordinator

Air Quality Division

Michigan DNR P.O. Box 30028 Lansing, MI 48090

Wayne County Health Department Air Pollution Control Division

Suite 700, 640 Temple Detroit, MI 48201

Michigan Department of Public Health
ASBESTOS PROGRAM

If Sent Pursuant to: NESHAP MAIL TO: ASBESTOS NOTIFIC		M J.S. EPA REG. V		Fax to:	
DNR, AIR QUALITY	DIV.	AC-26-1 Asb. Coor.	Postmark Date:		
P.O. Box 30028		230 S. Dearborn			Send Def Letter:
Lansing, MI 48909 For Projects in Wayne County 5		Chicago, IL 60604	Det. Letter Sent:	——— Resp. Due: —— —— Entered on Rec'd Loc	Atro:
	ept. Air Pollution Control Di	ivision			Att'd;
	ole, Detroit, MI 48201	**	1		n #
If Sent Pursuant to: Sec. 220(amended	(1-4) or (8), Public Act 135	of 1986, as	Comments: Spoke w/	· · · · · · · · · · · · · · · · · · ·	
MAIL TO: MDPH, DOH-Asbest	tos Program	•			
3423 N. Logan St., F					
Lansing, MI 48909			Licensed Asbestos Aba	atement Contractors #	
MDPH Asbestos Project Fee	Total Project Co	st:	Plumber	Mechanical	Builders
(To obtain 1% Project Fee Mult	tiply	<u>x 0.01</u>	Lic. #	Lic. #	Uc.#
total Project Cost by 0.01)	1% Project Fee		Electrical Lic.#	Licensing Auth	ority
1. ABATEMENT CONTRACT			PLEASE CHECK ALL TI	ΑΔΤ ΔΡΡΙ Υ	
	Motor Company		I LEAGE OFFICER ALE I	IOI DI LEI	
Mailing Address 3001 1	Willer Rd, 106 (CSB	· · · · · · · · · · · · · · · · · · ·		
<u></u>		············		o, Encap. (>10 Ln ft or 15 s	
City/State/Zip Dearbo	orn, MI 48121		DNR/EPA Renovat	ion (>260 Ln ft or 160 sq ft)	10 working days notice
a T D Proc	200 51 /20	13) 202 0002		on - 10 working days notice)
Contact: J. D. Pree	Phone:(3)	13) 323-0882	DNR/EPA Ordered	Demolition	
DEMOLITION CONTRACT	OR		Date of Notification	Millionia - Piliana - Piliana	
Name			Date of Revision (if	applicable)	
Mailing Address ————			Date of Figure 1		
			ls Asbestos Preser	nt? Yes 💢	¬_ № ⊣
- · · · - ·			Type of Notification		Revised Cancelled
-			3. FACILITY DESCRIPT		
Contact	Phone:()			
			Street Address 2	001 Miller Rd.	
2. NAME OF FACILITY OWN Name Ford N	Motor Company		Describer		Fir/Rm No
			City Dearbor	n	County Wayne
Mailing Address 500 I	<u> Miller Rd, 106 (</u>	SSB	State MT	Zip Code 48121	Age (in yrs)70
Doort-	36T 1.02.04		Site Location De	arborn Area	
City/State/Zip Dearbo	orn, MI 48121		Building Size (sa f) <u>N/A</u>	to of floors N/A
Contact J. D. Pres	ece Phone:81	3) 323-0882	Present Use 2nd	Fl North Walls	No. of floors N/A 2nd Fl North Wall
		J. <u>J. J. J</u>			
4. Approximate Amount Of	Asbestos includina: Rea	ulated ACM (RACM)	to be removed/encap.; Cat.	I ACM not removed; and	Cat. II ACM not removed
•••	Indicate Unit of Meas		to be RACM to be) Nor	nfriable
		remo	ved Encapsulated		erial Not Removed
				Category I	Category II
Pipes	y Ln Ft □ Ln M	300			
· · · · · · · · · · · · · · · · · · ·	1-1-				
Surface Area	Sq Ft Sq M				
Vol. of RACM Off					
Facility Components	Cuft CuM	1			
<u> </u>					
5. SCHEDULED DATES:	Ashastas Barr	ioval (Renovation)/E	acapeulation	Demolition	
5. SCHEDOLED DATES:	l l	/g/g3 End	. `	Start:	End:
		79793	· - 9/6/93		
6. DESCRIPTION OF PLAN	NNED DEMO/DEMO/EMC/	AND MET	HODEN TO BELISED A	" M raill be not	morro d. Prom. 13
1 or nace and	.: 13	TE WORK, AND MET	HOD(3) TO BE OSED The	CARA MITT DE TE	moved irom the
	olli over line e	east of #2 bl	Ower and adjoining	ng piping & expa	ansion joints
arone not hit Mar	TT OH STU LIOOL	or the Lower	House-1.		
7. DESCRIPTION OF WOR	RK PRACTICES AND ENG	INEERING CONTRO	LS TO BE USED TO PREVI	ENT EMISSIONS OF ASB	ESTOS AT DEMO/RENO/
containment ++	11 hours 4	wei methods :	in conjunction w	ith a full nega	tive pressure
SOLI OCCITING TO WY	<u> </u>	r monitoring	Will be done in	accordance with	T OSHA POGULARIANA
8. WASTE DISPOSAL SITI	ENAME: ALLOH LOL	r oray mile	9. IF DEMO ORDERED BY A	A GOVERNMENT AGENO	Y, IDENTIFY AGENCY
Street Address:		wood Blvd	Name:	Title:	
City/State/Zip:	Allen Par	k, MI 48101	Authority: Date of Order:	Date Ordered to	Begin:
·,					- D-9"1

(continued on reverse side)

9. Waste Transporter #1	10. Waste Transporter #2	
Name: Ford Transportation Servi Address: 3001 Miller Rd City: Dearborn State/Zip: Michigan 48121 Contact Person: J. D. Preece Phone: (313) 323-0882	Address: City: State/Zip: Contact Person:	-
For Emergency Renovations Date and hour of emergency: Description of the sudden, unexpected event:		
Explanation of how the event caused unsafe con	ditions or would cause equipment damage or an unre	pasonable financial burden:
2. Description of procedures to be followed in the material becomes crumbled, pulverized, or rewill be followed, including bull and air monitoring.	ne event that unexpected asbestos is found or preseduced to powder. Approved asbestos abac sampling, laboratory analysis, ab	evicusly nonfriable asbestos tement procedures eatement, clean-up
A recent building asbestos surve	propriate, used to detect the presence of asbestos ey identified this material as asbe be resampled and analyzed.	
		s person will be available for
	(Signature of Owner/Operator)	7/19/93 Date
5. I certify that the above Information is correct.	Up to \$25,000 per day per violation can be asset	ssed for failure to comply with
these regulations.	goe Preese	7/19/93
	(Signature of Owner/Operator)	Date

DNR/DPH USE ONLY



Body & Assembly Operations

Technical & Transportation Services Environmental Services

December 3, 1993

Rochelle Marceillars
Air Toxics and Radiation Branch (5AT-26)
Air and Radiation Division
U. S. EPA, Region V
230 S. Dearborn
Chicago, Illinois 60604

Subject: Notification of Intent to Remove Asbestos During a Renovation Project

We are providing information related to the removal and encapsulation of asbestos during renovation at the Powerhouse in the Ford Motor Company Rouge Manufacturing Complex at 3001 Miller Road, Dearborn, Michigan.

If you have any questions or require further information, please contact me at (313) 322-9016.

F. Vitale

Environmental Control Engineer

copy to:

Asbestos Notification Coordinator

Air Quality Division

Michigan DNR P.O. Box 30028 Lansing, MI 48090

Wayne County Health Department Air Pollution Control Division

Suite 700, 640 Temple Detroit, MI 48201

Michigan Department of Public Health ASBESTOS PROGRAM

If Sent Pursuant to: NESHAP, 40 CFR Part 61, Subpart M MAIL TO: ASBESTOS NOTIFIC. COOR. AND U.S. EPA REG. V DNR, AIR QUALITY DIV. 5AC-26-1 Asb. Coor. P.O. Box 30028 230 S. Dearborn Lansing, MI 48909 Chicago, IL 60604 For Projects in Wayne County Send Notice To: Wayne Co. Health Dept. Air Pollution Control Division Suite 700, 640 Temple, Detroit, MI 48201 If Sent Pursuant to: Sec. 220(1-4) or (8), Public Act 135 of 1986, as amended MAIL TO: MDPH, DOH-Asbestos Program 3423 N. Logan St., P.O. Box 30195 Lansing, MI 48909	DNR/MDPH USE ONLY Xerox to Fax to; Postmark Date: Rec'd Date: Cont'r Insp. This Fy Notific. Rev'd OK Send Def Letter: Def. Letter Sent: Resp. Due: Att'd: Entered on Def. Log: Entered on Rec'd Log: FOLLOW UP Date: Rev. Due: Att'd: Notification # Transaction # Comments: Spoke w/
MDPH Asbestos Project Fee (To obtain 1% Project Fee Multiply total Project Cost by 0.01) Total Project Cost: x 0.01 1% Project Fee:	Plumber Mechanical Builders Lic. # Lic. # Lic. # Electrical Lic.# Ucensing Authority
1. ABATEMENT CONTRACTOR Name Ford Motor Company Mailing Address City/State/Zip Dearborn, MI 48121 Contact: T. Vit GR Phone:(313)322 9016 DEMOLITION CONTRACTOR	PLEASE CHECK ALL THAT APPLY MDPH- Demo, Reno, Encap. (>10 Ln ft or 15 sq ft) 10 day notice DNR/EPA Renovation (>250 Ln ft or 160 sq ft) 10 working days notice DNR/EPA Demolition - 10 working days notice DNR/EPA Ordered Demolition Date of Notification
Name Mailing Address ———————————————————————————————————	Date of Revision (if applicable) Is Asbestos Present? Type of Notification Original Revised Cancelled
Contact Phone:()	Building Name POWY No. 1 Street Address 300 17.) & Pal
2. NAME OF FACILITY OWNER: Name Ford Motor Company Mailing Address City/State/Zip Dearborn, MI 48121 Contact F. Vitale Phone: 813: 322-9016	State TT Zip Code 48) 21 Age (in yrs) 70 Site Location Dearborn Royal R
	be removed/encap.; Cat. I ACM not removed; and Cat. II ACM not removed to be RACM to be Nonfriable Encapsulated Asbestos Material Not Removed Category I Category II
Pipes ☐ Ln Ft ☐ Ln M Surface Area ☒ Sq Ft ☐ Sq M ☒ O O	
Vol. of RACM Off Facility Components	
5. SCHEDULED DATES: Asbestos Removal (Renovation)/En Start: 12 20 93 End: 6. DESCRIPTION OF PLANNED DEMO/RENO/ENCAP WORK, AND METH PCC a. Leater #1 Boyler	Start: End:
ENCAP SITE AND UNTIL PROPER DISPOSAL - wethods	LS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT DEMO/RENO/ Son to Conjunction with a full negotive contoring will be don in occordance of OSHA rgwi
City/State/Zip: Allen Park, MI 48101	Authority:

(continued on reverse side)

9. Waste Transporter #1	10. Waste Transporter #2
Name: Ford Transportation Services	Name:
Address: 3001 Miller Rd	Address:
City: Dearborn	City:
State/Zip: Michigan 48121	State/Zip:
Contact Person: F. Vitale	Contact Person:
Contact Person: F. Vitale Phone: (313) 3 22 9016	Phone: ()
1. For Emergency Renovations Date and hour of emergency: Description of the sudden, unexpected event:	
	d cause equipment damage or an unreasonable financial burden:
and are monatoring .	nexpected asbestos is found or previously nonfriable asbestos der. Approved asbestos abatement procedures , laboratory analysis, abatement, clean-up
3. Procedure, including analytical method, if appropriate, used A recent building asbestos survey identificant questionable material will be resample	to detect the presence of asbestos material: ied this material as asbestos containing. ed and analyzed.
4. I certify that an individual trained in the provisions of this redemolition or renovation and evidence that the required train inspection during normal business hours. (Required begins	ning has been accomplished by this person will be available for ning November 20, 1991).
· · · · · · · · · · · · · · · · · · ·	ure of Owner/Operator) Date
15. I certify that the above information is correct. Up to \$25,000 these regulations.	Oper day per violation can be assessed for failure to comply with
(Signati	ure of Owner/Operator) Date
. •	

DNR/DPH USE ONLY



Technical and Transportation Services Environmental Services

MONTAL Ford Motor Company 3001 Miller Road, 106 CSB Dearborn, Michigan 48121

March 29, 1993

Rochelle Marceillars Air Toxics and Radiation Branch (5AT-26) Air and Radiation Division U. S. EPA, Region V 230 S. Dearborn Chicago, Illinois 60604

Subject: Notification of Intent to Remove Asbestos During a Renovation Project.

We are providing information related to the removal and encapsulation asbestos during renovation at the Main Service Tunnel located in the Ford Rouge Complex, 3001 Miller Road, Dearborn, Michigan.

If you have any questions or require further information, please contact me at (313) 594-1014.

Joe Preece
J. D. Preece

copy to: Asbestos Notification Coordinator Air Quality Division Michigan DNR P.O. Box 30028 Lansing, MI 48090

> Wayne County Health Department Air Pollution Control Division Suite 700, 640 Temple Detroit, MI 48201



Michigan Department of Public Health
ASBESTOS PROGRAM

Mechanical Builders J.c. # Lic. # Lic. # Lic. # Electrical Lic # Lic. # Lic. # MDPH- Demo, Reno, Encap. (>10 Ln ft or 15 sq ft) 10 day notice DNR/EPA Renovation (>260 Ln ft or 160 sq ft) 10 working days notice DNR/EPA Demolition - 10 working days notice DNR/EPA Demolition - 10 working days notice DNR/EPA Ordered Demolition Date of Notification Date of Revision (if applicable) Is Asbestos Present? Yes No Cancelled FACILITY DESCRIPTION Building Name Main Service Tunnel
MDPH- Demo, Reno, Encap. (>10 Ln ft or 15 sq ft) 10 day notice DNR/EPA Renovation (>260 Ln ft or 160 sq ft) 10 working days notice DNR/EPA Emergency Renovation DNR/EPA Demolition - 10 working days notice DNR/EPA Ordered Demolition Date of Notification
Street Address
Category I Category II
Demolition Start: End:
/) 1 ie

9. Waste Transporter #1	10. Waste Transporter #2	
Name: Ford Transportation Services Address: 3001 Miller Road City: Dearborn Mi. 48121 State/Zip: Contact Person: J.D.Preece Phone: (313) 323-0882	Contact Person:	+
. For Emergency Renovations		
Date and hour of emergency: Description of the sudden, unexpected event:		
Explanation of how the event caused unsafe conditions or w	ould cause equipment damage or an unreasonable	e financial burden:
Description of procedures to be followed in the event the material becomes crumbled, pulverized, or reduced to put will be followed, including bulk sampus and air monitoring.	cowder. Approved asbestos abatmer cling, laboratory analysis, abatme	at procedures
material becomes crumbled, pulverized, or reduced to will be followed, including bulk samp and air monitoring.	cowder. Approved ashestos abatmenting, laboratory analysis, labor	nt procedures ent, clean up, ul: containing.
material becomes crumbled, pulverized, or reduced to pull he followed, including bulk samp and air monitoring. Procedure, including analytical method, if appropriate, use A recent building ashestos survey identification and evidence that the required demolition or renovation and evidence that the required	cowder. Approved ashestos abatment oling, laboratory analysis, abatment of the presence of asbestos material at ashestos material and analyzed. See regulation (40CFR Part 61, Subpart M) will be training has been accomplished by this person	nt procedures ent, clean up, d: containing. on-site during the
material becomes crumbled, pulverized, or reduced to pull be followed, including bulk samp and air monitoring. Procedure, including analytical method, if appropriate, use A recent building ashestos survey ider Any questionable material will be resulted in the provisions of the demolition or renovation and evidence that the required inspection during normal business hours. (Required because of the survey idea.)	cowder. Approved ashestos abatment oling, laboratory analysis, abatment of the presence of aspestos material at aspectos ampled and analyzed. See regulation (40CFR Part 61, Subpart M) will be training has been accomplished by this personglining November 20, 1991).	on-site during the
material becomes crumbled, pulverized, or reduced to pull be followed, including bulk samp and air monitoring. Procedure, including analytical method, if appropriate, use A recent building ashestos survey ider Any questionable material will be resulted in the provisions of the demolition or renovation and evidence that the required inspection during normal business hours. (Required because of the survey idea.)	cowder. Approved ashestos abatment oling, laboratory analysis, abatment of the presence of asbestos material at ashestos material and analyzed. See regulation (40CFR Part 61, Subpart M) will be training has been accomplished by this person	nt procedures ent, clean up, d: containing. on-site during the
will be followed, including bulk samp and air monitoring. Procedure, including analytical method, if appropriate, use A recent building asbestos survey ider Any questionable material will be respectively that an individual trained in the provisions of the demolition or renovation and evidence that the required inspection during normal business hours. (Required beginning)	sed to detect the presence of asbestos material as asbestos material as asbestos eampled and analyzed. s regulation (40CFR Part 61, Subpart M) will be training has been accomplished by this person ginning November 20, 1991).	ont procedures ent, clean up, d: containing. on-site during the will be available for 03/29/93 Date
material becomes crumbled, pulverized, or reduced to pull he followed, including bulk samp and air monitoring. Procedure, including analytical method, if appropriate, use A recent building asbestos survey identary questionable material will be resulted in the provisions of the demolition or renovation and evidence that the required inspection during normal business hours. (Required because it is above information is correct. Up to \$25	sed to detect the presence of asbestos material as asbestos material as asbestos eampled and analyzed. s regulation (40CFR Part 61, Subpart M) will be training has been accomplished by this person ginning November 20, 1991).	nt procedures ent, clean up, al: containing. on-site during the will be available for 03/29/93 Date fallure to comply with

DNR/DPH USE ONLY



Body & Assembly Operations
Technical & Transportation Services
Environmental Services

October 22, 1993

Rochelle Marceillars
Air Toxics and Radiation Branch (5AT-26)
Air and Radiation Division
U. S. EPA, Region V
230 S. Dearborn
Chicago, Illinois 60604

Subject: Notification of Intent to Remove Asbestos During a Renovation Project.

We are providing information related to the removal and encapsulation of asbestos during renovation at the Powerhouse located in the Ford Motor Company River Rouge Complex at 3001 Miller Road, Dearborn, Michigan.

If you have any questions or require further information, please contact me at (313) 322-9016.

. Vitale

copy to: Asbestos Notification Coordinator
Air Quality Division
Michigan DNR
P.O. Box 30028
Lansing, MI 48090

Wayne County Health Department Air Pollution Control Division Suite 700, 640 Temple Detroit, MI 48201

MICHIGAN DEPARTMENT OF NATURAL RESOURCES AIR QUALITY DIVISION

NOTIFICATION, OF INTENT TO RENOVATE/DEMOLISH

Michigan Department of Public Health
ASBESTOS PROGRAM

If Sent Pursuant to: NESHAP, 40 CFR Part 61, Subpart M MAIL TO: ASBESTOS NOTIFIC. COOR. AND U.S. EPA REG. 1 DNR, AIR QUALITY DIV. 5AC-26-1 Asb. Co. P.O. Box 30028 230 S. Dearborn Lansing, MI 48909 Chicago, IL 60600 For Projects in Wayne County Send Notice To: Wayne Co. Health Dept. Air Pollution Control Division Suite 700, 640 Temple, Detroit, MI 48201 If Sent Pursuant to: Sec. 220(1-4) or (8), Public Act 135 of 1986, as amended MAIL TO: MDPH, DOH-Asbestos Program 3423 N. Logan St., P.O. Box 30195 Lansing, MI 48909	Postmark Date: Rec'd Date: Cont'r Insp. This Fy Notific. Rev'd OK Send Def Letter:
MDPH Asbestos Project Fee Total Project Cost: (To obtain 1% Project Fee Multiply total Project Cost by 0.01) Total Project Cost: x 0.01	Plumber Mechanical Builders Lic. # Lic. # Lic.# Electrical Lic # Licensing Authority
1. ABATEMENT CONTRACTOR Name Ford Motor Company 3001 Miller Rd, 106 CSB City/State/Zip Dearborn, MI 48121 Contact: F. Vitale Phone:(313) 322-9016 DEMOLITION CONTRACTOR Name Mailing Address City/State/Zip Contact Phone:() 2. NAME OF FACILITY OWNER: Name Ford Motor Company Mailing Address City/State/Zip Dearborn, MI 48121 Contact F. Vitale Phone:813) 322-901	MDPH- Demo, Reno, Encap. (>10 Ln ft or 15 sq ft) 10 day notice DNR/EPA Renovation (>260 Ln ft or 160 sq ft) 10 working days notice DNR/EPA Emergency Renovation DNR/EPA Ordered Demolition Date of Notification Date of Revision (if applicable) Is Asbestos Present? Type of Notification Building Name Powerhouse-1 Street Address 3001 Miller Rd. City Dearborn County Wayne State MI Zip Code 48121 Age (in yrs) 70 Site Location Dearborn - Rouge Complex Building Size (sq ft) N/A No. of floors N/A Present Lieu 1st F1, North
Approximate Amount Of Asbestos Including: Regulated ACM (RAGING Indicate Unit of Measure Raginal Ragina R	Feed Pump Line Feed Pump Line CM) to be removed/encap.; Cat. I ACM not removed; and Cat. II ACM not removed ACM to be RACM to be Nonfriable removed Encapsulated Asbestos Material Not Removed Category I Category II
Pipes XX Ln Ft Ln M	100
Surface Area Sq Ft Sq M	
Vol. of RACM Off Facility Components Cu Ft Cu M	
6. DESCRIPTION OF PLANNED DEMO/RENO/ENCAP WORK, AND Feed Pump Line on the first flo	METHOD(S) TO BE USED ACM will be removed from the North par of the Powerhouse 1.
ENCAP SITE AND UNTIL PROPER DISPOSAL Wet method containment will be used. Air monitori	Authority:

9. Waste Transporter #1	10. Waste Transporter #2	
Name: Ford Transportation Services	Name:	
Address 3001 Miller Rd	8 4 4 4 4 4 4 4 4	
City: Dearborn	City:	
City: Dearborn State/Zip: Michigan 48121	State/Zlp:	
Contact Person: _F. Vitale		
Phone: (313) 322-9016-	Contact Person: ————————————————————————————————————	3
For Emergency Renovations Date and hour of emergency: Description of the sudden, unexpected event:		
Explanation of how the event caused unsafe conditions or woul	d cause equipment damage or an unreaso	nable financial burden:
Description of procedures to be followed in the event that a material becomes crumbled, pulverized, or reduced to powerful be followed, including bulk sampling and air monitoring.	unexpected asbestos is found or previous vder. Approved asbestos abatem , laboratory analysis, abate	usly nonfriable asbestos ment procedures ement, clean-up
Procedure, including analytical method, if appropriate, used A recent building asbestos survey identif	ied this meterial as salest	
Any questionable material will be resampl	ed and analyzed.	os containing.
I certify that an individual trained in the provisions of this redemolition or renovation and evidence that the required trainspection during normal business hours. (Required begin	Ining has been accomplished by this pe	rson will be available for
(Signat	ure of Owner/Operator)	10/22/93 Date
(Oiginat	and a serious epototoly	, ,
I certify that the above information is correct. Up to \$25,00 these regulations.	0 per day per violation can be assessed	for fallure to comply with
	N I V V V	
(Signat	ure of Owner/Operator)	Date

1



Body & Assembly Operations
Technical & Transportation Services
Environmental Services

October 22, 1993

Rochelle Marceillars
Air Toxics and Radiation Branch (5AT-26)
Air and Radiation Division
U. S. EPA, Region V.
230 S. Dearborn
Chicago, Illinois 60604

001 27 1993

1945 AND RADE BRANCH 1941 REGION 7

Subject: Notification of Intent to Remove Asbestos During a Renovation Project.

We are providing information related to the removal and encapsulation of asbestos during renovation at the Dearborn Glass Plant in the Ford Motor Company River Rouge Complex at 3001 Miller Road, Dearborn, Michigan.

If you have any questions or require further information, please contact me at (313) 323-0883.

Joseph A. Phasee. J. D. Preece

copy to: Asbestos Notification Coordinator

Air Quality Division

Michigan DNR P.O. Box 30028 Lansing, MI 48090

Wayne County Health Department Air Pollution Control Division

Suite 700, 640 Temple Detroit, MI 48201

Michigan Department of Public Health
ASBESTOS PROGRAM

Mail to Ambert 10 Ambert 20 Ambert 20 Ambre 20	If Sent Pursuant to: NESHAP,	40 CER Part 61 Subne	art M	DNR/MI	DPH USE ONLY	,		
P.O. Box 50028 Missing All Missing Series Notice To Lucising, Missing All Missing Series Notice To Series Propriet Notice Control Priviles Notice To Con	MAIL TO: ASBESTOS NOTIFIC	COOR. AND		Xerox to		Fax to:		
Lanking, M. 48006 Projects in Vegrous County Sond Notice To: Wayne Co. Neath Doct, Air Poliubian Control Division Il Sent Pursuant to See, 204(-4) or (8), Public Act 136 of 1988, as amended MAIL TO: MOPIT, DON-Asbestos Program SIZS M. Logan S. P. O. Dox 30185 MOPH Asbestos Program SIZS M. Logan S. P. O. Dox 30185 MOPH Asbestos Program SIZS M. Logan S. P. O. Dox 30185 MOPH Asbestos Program SIZS M. Logan S. P. O. Dox 30185 MOPH Asbestos Program SIZS M. Logan S. P. O. Dox 30185 MOPH Asbestos Program SIZS M. Logan S. P. O. Dox 30185 MOPH Asbestos Program SIZS M. Logan S. P. O. Dox 30185 MOPH Asbestos Program SIZS M. Logan S. P. O. Dox 30185 MOPH Asbestos Program SIZS M. Logan S. P. O. Dox 30185 MOPH Asbestos Program SIZS M. Logan S. P. O. Dox 30185 Molitary S. M. Logan S. P. O. Dox 30185 Molitary S. M.	· · · · · · · · · · · · · · · · · · ·	DIV.		Postmark	Date:	Rec'd Date:		
For Projects in Waymor County Send Notice To: Waymor Notice To: Waymor County Send Notice To: Waymor Notice To: Waymor County Send Notice To: Waymor Noti								
Wayne Co. Houtil Dept Air Pollution Corrol Division Wayne Co. Houtil Dept Air Pollution Corrol Division Wash Darry Ord, 861 Transp. Option Air 40001 Wash Darry Ord, 861 Transp. Option Air 40001 Larring, M 45000 MAIL TO: MCPL, DO-Alabestase Proparts Asta N. Logan St., P.O. Bay 30198 Larring, M 45000 MDPH Abbestase Project Fee Total Project Cost by 0.01) 1W. Project Fee Licensed Abbestas Abatement Contractors %. Planter Mochamica Builders Licensed Aubestas Desired Contractors %. Planter Licensed Aubestas Desired Contractors %. Planter Licensed Aubestase Desired Contractors %. Planter Licensed Aubestas Desired Contractors %. Planter Mochamica Contractors %. Planter Licensed Aubestas Desired Contractors %. Planter Licensed Aubestas Desired Contractors %. Planter Mochamica Contractors %. Plant		and Matter To:	Chicago, IL 60604	Def. Lett	er Sent:	—— Resp. Due: ——	Att'd:	
IS Salto 700, 640 Transple, Debtoti, M. 48201 IS Salto 700, 640 Transple, Debtoti, M. 48201 IS Salto 700, 594, DON-4 Abbasis Segurian MICE 100, DON-4,			Division	Entered	on Def. Log:	Entered on Hec'd Log:	A satural	
If Sent Parsuant to: Sec. 201(-4) or (8), Public Act 136 of 1986, 93 aronded MAIL TO DATA absents Propriate managed and the propriate managed of the propriate from Mail to 1986 and 1989 Licensed Abbettos Absternent Contractors 1982 N. Logon St. P.O. Box 90195 Licensed Abbettos Absternent Contractors 1982 N. Logon St. P.O. Box 90195 Licensed Abbettos Absternent Contractors 1982 N. Logon St. P.O. Box 90195 Licensed Abbettos Absternent Contractors 1982 N. Logon St. P. Contract			TUAISIO11	Motificati	v ur Date:	Transaction	# All d:	
Approximate Amount of Abbestos Industry Owner: Name Ford Motor Company Malifor Address Contact J. D. Prece Phone(313) 323-0882 Contact J. D. Prece Phone(314) 323-0882 Contact J. D. Prece Phone(315) 323-0882 Contact J. D. Prece Phone(316) 4882 Contact J. D. Prece Phone(316) 4882 Contact J. D. Prece Phone(316) 4882 Co			35 of 1986, as	Commer	nts: Sooke w/	Hallsacuott	#	
Contact J. D. Preece Phone(3) Steel Address: Phone(1) Phone(1) Phone(2) Phone(3) Ph			,		no. opano m			
Licensed Absence Absence Absence Contractors # Created 1% Project Fee Multiply 1% Project F				L				
MOPH Abbestos Project Fee Total Project Cost: x 0.01 W Project Fee; x 0.01 W Project		.O. Box 30195						
Contact To Dot Two Project Fee: See Section Lic #	Lansing, MI 48909			License	d Asbestos Abate	ment Contractors #		
Learning Audroning			Cost:	Plumber		Mechanical	Builders	
PLASE CHECK ALL THAT APPLY Name		ply	<u>x 0.01</u>	Lic. #			Llc.#	
Name Ford Mother Corpany	total Project Cost by 0.01)	1% Project Fe	96:	Electr	ical Lic.#	Licensing Author	rity	
Mailing Address 3001 MILITER Rd. 106 GSB City/State/Zip Dearborn, MI 48121 Contact J. D. Preece Phone(313) 323-0882 DEMOLITION CONTRACTOR Name Mailing Address City/State/Zip Dearborn, MI 48121 Contact J. D. Preece Phone(313) 323-0882 DEMOLITION CONTRACTOR Name Mailing Address City/State/Zip Dearborn, MI 48121 Contact Profit Motor Costpany Mailing Address Ford Militer Rd. 106 GSB City/State/Zip Dearborn, MI 48121 Contact J. D. Preece Phone(5) 2. NAME OF FACILITY OWNER: Name Ford Motor Costpany Mailing Address City/State/Zip Dearborn, MI 48121 Contact J. D. Preece Phone(5) State Loading Dearborn Glass Flant State MI Zip Code 48121 Age (nyrs) 70 State Loading Dearborn Flore County Mayme State Militer Rd. No. of Boors, M/A Present Use Site (an) N/A No. of Boors, M/A Present Use Site (an) N/A No. of Boors, M/A Present Use Site (an) N/A No. of Boors, M/A Approximate Amount Of Asbestos including: Regulated ACM (RACM) to be removed; and Call ACM not removed indicate Unit of Measure RACM to be RACM to be removed. Nontribule Category II Pipos DEAR Profit No. Category II Subject Address Removal (Renovation)/Encapspulption Surface Area Sq. Ft Sq. M 3-Inch diam State: End; Suffice Area Sq. Ft Sq. M 3-Inch diam State: End; Suffice Area Sq. Ft Sq. M 3-Inch diam State: End; Suffice Area Sq. Militer Sq. Militer Sq. Militer State: Sq. Militer Sq. Militer State: State: Sq. Militer Sq. Militer State: Sq. Militer Sq. Militer State: State: Sq. Militer Sq. Militer Sq	1. ABATEMENT CONTRACTO	OR		DIEAGE	CHECK ALL THA	TADDIV		
Contact: J. D. Preece	Name <u>Ford M</u>	lotor Company		PLEASE	OUTOW WIT INW	I ACELI		
Contact: J. D. Preece	3001 M	Eller Rd. 106	CSB	I				
DNNEPA Demoktron 10 working days notice DNNEPA Criteria DNNEPA Demoktron 10 working days notice DnNePa Demokron Demoktron Date of Notice Demoktron 10 working days notice Date of	Mailing Address			ME ME	DPH- Demo, Reno,	Encap. (>10 Ln ft or 15 s	q ft) 10 day notice	
DNNEPA Demoktron 10 working days notice DNNEPA Criteria DNNEPA Demoktron 10 working days notice DnNePa Demokron Demoktron Date of Notice Demoktron 10 working days notice Date of	City/State/Zio Dearbo	rn MT 48121		XX DN	IR/EPA Renovation	1 (>260 Ln ft or 160 sq ft)		
DEMOLITION CONTRACTOR Name Mailing Address City/State/Zip Contact Phone() 2. NAME OF FACILITY OWNER: Name First Mother Company Mailing Address City/State/Zip Contact Phone() 2. NAME OF FACILITY OWNER: Name First Mother Company Mailing Address City/State/Zip Dearborn, MI 48121 Contact J. D. Preece Phone(3) 323-0862 Phone(3) 323-0862 Approximate Amount Of Asbestos Including: Regulated ACM (RACM) to be removed indicate Unit of Measure First Min 2 pc code 48121 Approximate Amount Of Asbestos Including: Regulated ACM (RACM) to be removed indicate Unit of Measure First Min 2 pc code 48121 Site Location Site Location Dearborn - Rouge Complex Suiface Area Indicate Unit of Measure First Min No. City Dearborn - Rouge Complex Suiface Area Suifac								
Demolition Contractor Name Mailing Address City/State/Zip Contact	Contact: J. D. Pree	Ce Phone:(313) <u>323</u> -0882					
Date of Revision (It applicable) Is Asbestos Present? Types (Notification) City/State/Zip Contact			J . J. D. D. D. D.					
Name of Faculty Owner: Street Address Street Addres		OR	•		no or recinoation			
City/State/Zip Contact Phone() 3. FACILITY DESCRIPTION Building Name Barborn Street Address City/State/Zip Dearborn, MI 48121 Contact J. D. Preece Phone(s)(13) 323-0882 City/State/Zip Dearborn, MI 48121 Contact J. D. Preece Phone(s)(13) 323-0882 Approximate Amount Of Asbestos including: Regulated ACM (RACM) to be removed/encap. Cat. I ACM not removed indicate Unit of Measure RACM to be RACM to be Surface Area Sur	Name			Da	ate of Revision (if a	oplicable)	····	
City/State/Zip Contact Phone() 3. FACILITY DESCRIPTION Building Name Barborn Street Address City/State/Zip Dearborn, MI 48121 Contact J. D. Preece Phone(s)(13) 323-0882 City/State/Zip Dearborn, MI 48121 Contact J. D. Preece Phone(s)(13) 323-0882 Approximate Amount Of Asbestos including: Regulated ACM (RACM) to be removed/encap. Cat. I ACM not removed indicate Unit of Measure RACM to be RACM to be Surface Area Sur	Mailing Address				_	K73r	-	
City/State/Zip Contact Phone() Size t Address Street Address Stree				1		Yes AA		11 - 4
Building Name Building Name Street Address Street	· · · · · · · · · · · · · · · · · · ·						Thevised LiCano	elleo
2. NAME OFFACILITY OWNER: Name Ford Motor Company Mailing Address 3001 Miller Rd, 106 CSB City/State/Zip Dearborn, MI 48121 Contact J. D. Preece Phone \$13) 323-0882 4. Approximate Amount Of Asbestos Including: Regulated ACM (RACM) to be removed/encap; Cat. I ACM not removed; and Cat. II ACM not removed indicate Unit of Measure RACM to be RACM to be Encapsulated Act (Racm) to be Encapsulated				3. PACI	EILL DESCHIPTIC	arborn Glass P	lant	
2. NAME OFFACILITY OWNER: Name Ford Motor Company Mailing Address 3001 Miller Rd, 106 CSB City/State/Zip Dearborn, MI 48121 Contact J. D. Preece Phone \$13) 323-0882 4. Approximate Amount Of Asbestos Including: Regulated ACM (RACM) to be removed/encap; Cat. I ACM not removed; and Cat. II ACM not removed indicate Unit of Measure RACM to be RACM to be Encapsulated Act (Racm) to be Encapsulated	Contact	Phone:()	J Bu	uilding Name 30	01 Miller Rd		
Name Ford Motor Company Mailing Address 3001 Miller Rd, 106 GSB City/State/Zip Dearborn, MI 48121 Contact J. D. Preece Phone \$\(\frac{1}{3}\) 323-0882 Present Use 1st Fl Lear Prior Use 1st Fl Lear 4. Approximate Amount Of Asbestos Including: Regulated ACM (RACM) to be removed/encap; Cat. I ACM not removed; and Cat. II ACM not removed Nonfriable Findicate Unit of Measure RACM to be RACM to the				_} St	reet Address	OT TIELLEDE TICE.		
City/State/Zip Dearborn, MI 48121 State MI Zip Code 48121 Age (in yrs), TO State MI Zip Code 48121 Age (in yrs), TO State MI Zip Code 48121 Age (in yrs), TO State Cattor Dearborn Rouge Complex Rough State MI Zip Code 48121 Age (in yrs), TO State Cattor Dearborn Rouge Complex Rough State MI Zip Code 48121 Age (in yrs), TO State Cattor Dearborn Rouge Complex Rough State MI Zip Code 48121 Age (in yrs), TO State Zip Code Age Zip Code Zip Code Age Zip Code Age Zip Code	177 - 1 34			1 _			Flr/Rm No	
Mailing Address 3001 Miller Rd, 106 CSB City/State/Zip Dearborn, MI 48121 Contact J. D. Preece Phone: \$13) 323-0882 State MI Zip Code 48121 Age (in yrs) 70 Site Location Dearborn - Rouge Complex Building Size (sq t) N/A No. of floors N/A Present Use 1st F1 Lear Prior Use 1st F1 Lear 4. Approximate Amount Of Asbestos including: Regulated ACM (RACM) to be removed/encap; Cat. I ACM not removed indicate Unit of Measure RACM to be Encapsulated Asbestos Material Not Removed Category I Category II Pipes XI In Ft Ln M 2500 Wire, Surface Area Sq Ft Sq M 3-inch diam. Vol. of RACM Off Facility Components Cu Ft Cu M 5. SCHEDULED DATES: Asbestos Removat (Renovation)/Encapsulation Start: 11/06/93 End: 11/21/93 Demoillion Start: End: 6. DESCRIPTION OF PLANNED DEMO/RENO/ENCAP WORK, AND METHOD(S) TO BE USED ACM to be removed from 3-inch diameter wires on the lear located on the 1st floor of the Glass Plant. Lengths of wire will be taped with 2-inch electrical tape and wetted before cut and placed in bags. 7. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT DEMO/RENO/ENCAP WORK Site Address: 17005 Oakwood Blvd. Name: Allen Park Clay Mine Site of Order: Date Ordered to Begin: Date of Order: Date Ordered to Begin: State MI 2500 Dearword (Renovation) State of Order: Date Ordered to Begin: Date of Order: Date Ordered to Begin: Date of Order: Date Ordered to Begin: Date of Ordered to Begin: Date of Ordered to Deare of Date Ordered to Deare of Date Ordered to Deare of Ordered to Deare of Ordered to Deare of Ordered to Deare Ordered to Deare of Ordered to Deared to Deare of Ordered to Deared to De	Name <u>Ford M</u>	otor Company		Ci	w <u>Dearborn</u>		County Wayr	ne_
Building Size (sq ft) M/A No. of floors N/A	Mailing Address 3001 M	<u>iller Rd, 106</u>	CSB		nto MI	75 Codo 48121	Ago (in use) 70	
Building Size (sq ft) M/A No. of floors N/A	Maining Address			ا ا	nea	rhorn - Rouge	Compley	
4. Approximate Amount Of Asbestos Including: Regulated ACM (RACM) to be removed/encap; Cat. I ACM not removed; and Cat. II ACM not removed Indicate Unit of Measure RACM to be RACM to to the RACM to the	City/State/Zip Dearbo	rn, MI 48121		Si	te Location	M/V	· 11 \ V	
4. Approximate Amount Of Asbestos Including: Regulated ACM (RACM) to be removed/encap.; Cat. I ACM not removed; and Cat. II ACM not removed indicate Unit of Measure RACM to be RACM to the RA				Bu	uilding Size (sq.ft) .	N/AN	o. of floors N/A	
Indicate Unit of Measure RACM to be removed R	Contact J. D. Pree	CE Phone:	313) <u>323-0882 </u>	Pr	resent Use 180	r_\perp Lear Prior Use .	ist fl Lear	
Indicate Unit of Measure RACM to be removed R								
Pipes Surface Area Sq.Ft Sq.M 3-inch diam Sq.Ft Sq.M 3-inch diam Start: Start: 11/06/93 End: 1/27/93 Demolition Start: End: Start: 11/06/93 End: 1/27/93 Start: End: Start: S	4. Approximate Amount Of A							ed
Pipes Surface Area Sq.Ft Sq.M 3-inch diam Sq.Ft Sq.M 3-inch diam Start: Start: 11/06/93 End: 12/7/93 Demolition Start: End: Start: 11/06/93 End: Start:		Indicate Unit of Mea			RACM to be	Non'	friable	
Surface Area			remo	vea	Encapsulated			
Surface Area						Ottogory 1	Outegoty ii	
Surface Area	Pipes	√T Ln Ft ∏ Ln	M DEOD.	TT				
Vol. of RACM Off Facility Components		11.1	i -	· · ·				
5. SCHEDULED DATES: Asbestos Removal (Renovation)/Encapsulation Start: 11/06/93 End: 11/27/93 Demolition Start: end:	Surface Area	Sq Ft Sq	м 3-inc	n diam				
5. SCHEDULED DATES: Asbestos Removal (Renovation)/Encapsulation Start: 11/06/93 End: 11/27/93 Demolition Start: end:	Vol. of BACM Off							
5. SCHEDULED DATES: Asbestos Removal (Renovation)/Encapsulation Start:		Поил Пои	м	1				
6. DESCRIPTION OF PLANNED DEMO/RENO/ENCAP WORK, AND METHOD(S) TO BE USED ACM to be removed from 3-inch diameter wires on the lear located on the 1st floor of the Glass Plant. Lengths of wire will be taped with 2-inch electrical tape and wetted before cut and placed in bags. 7. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT DEMO/RENO/ENCAP SITE AND UNTIL PROPER DISPOSAL. The lengths of wire will be adequately wet. 8. WASTE DISPOSAL SITE NAME: Allen Park Clay Mine Street Address: Name: Name: Name: Name: Name: Name: Name: Date Ordered to Begin: Date Ordered to Begin:		<u> </u>						
6. DESCRIPTION OF PLANNED DEMO/RENO/ENCAP WORK, AND METHOD(S) TO BE USED ACM to be removed from 3-inch diameter wires on the lear located on the 1st floor of the Glass Plant. Lengths of wire will be taped with 2-inch electrical tape and wetted before cut and placed in bags. 7. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT DEMO/RENO/ENCAP SITE AND UNTIL PROPER DISPOSAL. The lengths of wire will be adequately wet. 8. WASTE DISPOSAL SITE NAME: Allen Park Clay Mine Street Address: Name: Name: Name: Name: Name: Name: Name: Date Ordered to Begin: Date Ordered to Begin:	 							
6. DESCRIPTION OF PLANNED DEMO/RENO/ENCAP WORK, AND METHOD(S) TO BE USED ACM to be removed from 3-inch diameter wires on the lear located on the 1st floor of the Glass Plant. Lengths of wire will be taped with 2-inch electrical tape and wetted before cut and placed in bags. 7. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT DEMO/RENO/ENCAP SITE AND UNTIL PROPER DISPOSAL. The lengths of wire will be adequately wet. 8. WASTE DISPOSAL SITE NAME: Allen Park Clay Mine Street Address: Name:	5. SCHEDULED DATES:	Asbestos Re	moval (Renovation)/E	ncapsulatio	9 /03			1
will be taped with 2-inch electrical tape and wetted before cut and placed in bags. 7. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT DEMO/RENO/ENCAP SITE AND UNTIL PROPER DISPOSAL. The lengths of wire will be adequately wet. 8. WASTE DISPOSAL SITE NAME: Allen Park Clay Mine 9. IF DEMO ORDERED BY A GOVERNMENT AGENCY, IDENTIFY AGENCY Street Address:		Start: _1	1 <u>/06/93</u> End	:	1773	Start:	End:	
will be taped with 2-inch electrical tape and wetted before cut and placed in bags. 7. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT DEMO/RENO/ENCAP SITE AND UNTIL PROPER DISPOSAL. The lengths of wire will be adequately wet. 8. WASTE DISPOSAL SITE NAME: Allen Park Clay Mine 9. IF DEMO ORDERED BY A GOVERNMENT AGENCY, IDENTIFY AGENCY Street Address:								
will be taped with 2-inch electrical tape and wetted before cut and placed in bags. 7. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT DEMO/RENO/ENCAP SITE AND UNTIL PROPER DISPOSAL. The lengths of wire will be adequately wet. 8. WASTE DISPOSAL SITE NAME: Allen Park Clay Mine 9. IF DEMO ORDERED BY A GOVERNMENT AGENCY, IDENTIFY AGENCY Street Address:	6. DESCRIPTION OF PLAN	INED DEMO/RENO/EN	CAP WORK, AND MET	HOD(S) TO	BE USED _ACM	l to be removed	from 3-inch	
7. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT DEMO/RENO/ENCAP SITE AND UNTIL PROPER DISPOSAL. The lengths of wire will be adequately wet. 8. WASTE DISPOSAL SITE NAME: Allen Park Clay Mine Street Address: Title: Authority: Date Ordered to Begin: Date Ordered to Begin: Date Ordered to Begin: Date of Order:	Gramerer willes	on the lear I	<u>ocated on the </u>	<u>1st fl</u>	<u>oor of the</u>	Glass Plant.	Lengths of wa	ro-
7. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT DEMO/RENO/ENCAP SITE AND UNTIL PROPER DISPOSAL. The lengths of wire will be adequately wet. 8. WASTE DISPOSAL SITE NAME: Allen Park Clay Mine Street Address: Date Ordered to Begin: Date Ordered to Begin: Date Ordered to Begin:	writ be taped	with 2-inch el	<u>ectrical tape</u>	and we	tted before	cut and place	d_in_bacs	
8. WASTE DISPOSAL SITE NAME: Allen Park Clay Mine Street Address:						_		10/
8. WASTE DISPOSAL SITE NAME: Allen Park Clay Mine Street Address: 9. IF DEMO ORDERED BY A GOVERNMENT AGENCY, IDENTIFY AGENCY Name:	FNCAD SITE AND UNTIL	N PROPER DISBOSAT	The 1 11	ころいつはそし	ISEN IO PHEVEN	LEMISSIONS OF ASBE	STOS AT DEMO/REN	ŧΟ/
8. WASTE DISPOSAL SITE NAME: Allen Park Clay Mine Street Address: 9. IF DEMO ORDERED BY A GOVERNMENT AGENCY, IDENTIFY AGENCY Name:	ENOAP SITE AND SITTING	TEROPEN DISPOSAL	The Lengths	^{oi} wire	will be ad	lequately wet.		
Street Address: 1'(005 Oakwood Blvd Name:	· · · · · · · · · · · · · · · · · · ·	~ ~ ~ .	-1. 07. 344			•		•
Street Address: 17005 Oakwood Blvd Name: Title: Authority: City/State/Zip: Allen Park, MT 48101 Date of Order: Date Ordered to Begin:		NAME: Allen Pa	rk Clay Mine	9. IF DEMO	ORDERED BY A	GOVERNMENT AGENCY	, IDENTIFY AGENCY	,
City/State/Zip: Allen Park, MI 40 10 Date of Order: Date Ordered to Begin:	Street Address:	17 <u>005</u> 0a	kwood_Blvd	Name: _		Title:_		
	City/State/7ies	Allan Da	rk MT 112101	Authority:	:	D:1 0 1 1:	Desire	-
(continued on reverse side)	Olty/State/Zip:	<u> </u>	.1 A 111 40 10	_ Date of C	raer:	uate Ordered to	⊨egin:	
				· · · · · · · · · · · · · · · · · · ·	1.0	ontinued on the	rorse side)	

MI-INSPECT

9. Waste Transporter #1	10. Waste Transporter #2
Name: Ford Transportation Services Address: 3001 Miller Rd City: Dearborn State/Zlp: Michigan 48121 Contact Person: J. D. Preece Phone: (313) 323-0882	Name:Address:
For Emergency Renovations Date and hour of emergency:	
Description of the sudden, unexpected event:	
2. Description of procedures to be followed in the event that une material becomes crumbled, pulverized, or reduced to powde will be followed, including bulk sampling, and air monitoring.	expected asbestos is found or previously nonfriable asbestos or. Approved asbestos abatement procedures laboratory analysis, abatement, clean-up
3. Procedure, including analytical method, if appropriate, used to A recent building asbestos survey identifie Any questionable material will be resampled	detect the presence of asbestos material: d this material as asbestos containing. and analyzed.
4. I certify that an individual trained in the provisions of this regular demolition or renovation and evidence that the required training properties of the provision during normal business hours. (Required beginning)	ng has been accomplished by this person will be available for
(Signature	of Owner/Operator) Date
5. I certify that the above information is correct. Up to \$25,000 p	per day per violation can be assessed for failure to comply with
these regulations.	DPraece 10/32/98
(Signature	of Owner/Operator) Date

DNR/DPH USE ONLY





AIR TOPES AND IND**IATION**3 A CH
U.S. EPA, REGION **V**

Body & Assembly Operations Technical & Transportation Services Environmental Services

June 1, 1993

Rochelle Marceillars
Air Toxics and Radiation Branch (5AT-26)
Air and Radiation Division
U. S. EPA, Region V
230 S. Dearborn
Chicago, Illinois 60604

Subject: Notification of Intent to Remove Asbestos During a Renovation Project.

We are providing information related to the removal and encapsulation of asbestos during renovation at the Dearborn Assembly Plant (Tank Farm) located in the Ford Motor Company River Rouge Complex at 3001 Miller Road, Dearborn, Michigan.

If you have any questions or require further information, please contact me at (313) 323-0882.

Joseph 19. Priece
J. D. Preece

copy to: Asbestos Notification Coordinator Air Quality Division Michigan DNR P.O. Box 30028 Lansing, MI 48090

> Wayne County Health Department Air Pollution Control Division Suite 700, 640 Temple Detroit, MI 48201

Michigan Department of Public Hoalth
ASBESTOS PROGRAM

If Sent Pursuant to: NESHAP 40 CFR Part 61, Subpart M MAIL TO: ASBESTOS NOTIFIC. COOR. AND U.S. EPA REC DNR, AIR QUALITY DIV. 5AC-26-1 Asb P.O. Box 30028 230 S. Dearbo Lansing, MI 48909 Chicago, IL 60 For Projects in Wayne County Send Notice To: Wayne Co. Health Dept. Air Pollution Control Division Suite 700, 640 Temple, Detroit, MI 48201 If Sent Pursuant to: Sec. 220(1-4) or (8), Public Act 135 of 1986, as amended MAIL TO: MDPH, DOH-Asbestos Program 3423 N. Logan St., P.O. Box 30195 Lansing, MI 48909	Coor. Postmark Date: Rec'd Date: rn Cont'r Insp. This Fy Notific. Rev'd OK Send Def Letter:
MDPH Asbestos Project Fee Total Project Cost: (To obtain 1% Project Fee Multiply total Project Cost by 0.01) Total Project Cost: x 0.00	Plumber Mechanical Builders D1 Lic. # Lic. # Lic.# Electrical Lic. # Licensing Authority
1. ABATEMENT CONTRACTOR Name Ford Motor Company Mailing Address City/State/Zip Dearborn, MI 48121 Contact: J. D. Preece Phone:(313) 323-08	MDPH- Demo, Reno, Encap. (>10 Ln ft or 15 sq ft) 10 day notice DNR/EPA Renovation (>260 Ln ft or 160 sq ft) 10 working days notice DNR/EPA Emergency Renovation
DEMOLITION CONTRACTOR Name Mailing Address City/State/Zip Contact Phone:()	Date of Revision (if applicable) Is Asbestos Present? Type of Notification 3. FACILITY DESCRIPTION
2. NAME OF FACILITY OWNER: Name Ford Motor Company Mailing Address City/State/Zip Dearborn, MI 48121 Contact J. D. Preece Phone: §13) 323-08	Fir/Rm No
4. Approximate Amount Of Asbestos Including: Regulated ACM (Findicate Unit of Measure	RACM) to be removed/encap.; Cat. I ACM not removed; and Cat. II ACM not removed RACM to be RACM to be Nonfriable removed Encapsulated Asbestos Material Not Removed Category I Category II
Pipes Ln Ft Ln M	
Surface Area XX Sq Ft Sq M	210
Vol. of RACM Off Facility Components	
7. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CO ENCAP SITE AND UNTIL PROPER DISPOSAL Wet meth- containment will be used. Air monito	D METHOD(S) TO BE USED A.C.M. will be removed from negative pressure containment will be constructed. DNTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT DEMO/RENO/ and a conjunction with a full negative pressure ring will be done in accordance with OSHA regulations in e 9. IF DEMO ORDERED BY A GOVERNMENT AGENCY, IDENTIFY AGENCY Authority:

	10. Waste Transporter #2	
Name: Ford Transportation Servic	es Name:	
Address: 3001 Miller Rd	Address:	
City: <u>Dearborn</u> State/Zip: <u>Mi chi gan</u> 48121	City:	
Contact Person: J. D. Preece	Contact Person: ———	
Phone: (313) 323-0882	Phone: ()	
. For Emergency Renovations		
Date and hour of emergency:		
Description of the sudden, unexpected event:		
Explanation of how the event caused unsafe condi-	tions or would cause equipment damage or an unre	easonable financial burden:
Description of procedures to be followed in the material becomes crumbled, pulverized, or red will be followed, including bulk and air monitoring.	event that unexpected asbestos is found or pro- luced to powder. Approved asbestos aba sampling, laboratory analysis, ab	evicusiy nonfriable asbestos atement procedures patement, clean-up
Description of procedures to be followed in the material becomes crumbled, pulverized, or red will be followed, including bulk and air monitoring.	event that unexpected asbestos is found or produced to powder. Approved asbestos abs sampling, laboratory analysis, at	eviously nonfriable asbestos atement procedures patement, clean-up
Procedure, including analytical method, if appro	priate, used to detect the presence of asbestos	s material:
Procedure, including analytical method, if appro	opriate, used to detect the presence of asbestos	s material:
Procedure, including analytical method, if appro-	opriate, used to detect the presence of asbestos	s material:
Procedure, including analytical method, if appropriate A recent building asbestos survey Any questionable material will be	priate, used to detect the presence of asbestos identified this material as asbestos resampled and analyzed. ons of this regulation (40CFR Part 61, Subpart Marequired training has been accomplished by this	s material: estos containing. i) will be on-site during the
Procedure, including analytical method, if approach A recent building asbestos survey Any questionable material will be I certify that an individual trained in the provision demolition or renovation and evidence that the	priate, used to detect the presence of asbestos identified this material as asbe resampled and analyzed. ons of this regulation (40CFR Part 61, Subpart M required training has been accomplished by this ulred beginning November 20, 1991).	s material: estos_containing. i) will be on-site during the s person will be available for
Procedure, including analytical method, if approach A recent building asbestos survey Any questionable material will be I certify that an individual trained in the provision demolition or renovation and evidence that the	priate, used to detect the presence of asbestos identified this material as asbestos resampled and analyzed. ons of this regulation (40CFR Part 61, Subpart Marequired training has been accomplished by this	s material: estos_containing. i) will be on-site during the s person will be available for
Procedure, including analytical method, if approach A recent building asbestos survey Any questionable material will be I certify that an individual trained in the provision demolition or renovation and evidence that the inspection during normal business hours. (Required)	priate, used to detect the presence of asbestos identified this material as asbest resampled and analyzed. This regulation (40CFR Part 61, Subpart Marequired training has been accomplished by this pulsed beginning November 20, 1991). **Garage Of Parts** (Signature of Owner/Operator)	s material: estos_containing. N) will be on-site during the is person will be available for 06/01/93 Date
Procedure, including analytical method, if approach A recent building asbestos survey Any questionable material will be certify that an individual trained in the provision demolition or renovation and evidence that the inspection during normal business hours. (Required Libertity that the above information is correct.	priate, used to detect the presence of asbestos identified this material as asbestos resampled and analyzed. ons of this regulation (40CFR Part 61, Subpart Management of training has been accomplished by this ulred beginning November 20, 1991). Grand D. Flack (Signature of Owner/Operator)	s material: estos_containing. i) will be on-site during the sperson will be available for 06/01/93 Date ssed for failure to comply with
Procedure, including analytical method, if approach A recent building asbestos survey Any questionable material will be I certify that an individual trained in the provision demolition or renovation and evidence that the inspection during normal business hours. (Required Libertify that the above information is correct.	priate, used to detect the presence of asbestos identified this material as asbest resampled and analyzed. This regulation (40CFR Part 61, Subpart Marequired training has been accomplished by this pulsed beginning November 20, 1991). **Garage Of Parts** (Signature of Owner/Operator)	s material: estos_containing. N) will be on-site during the is person will be available for 06/01/93 Date



Inter Office



Body & Assembly Operations Technical & Transportation Services Environmental Services

June 1, 1993

ARE CONTRACTOR HADIATION

Rochelle Marceillars Ara, REGION MA
Air Toxics and Radiation Branch (5AT-26)
Air and Radiation Division
U. S. EPA, Region V
230 S. Dearborn
Chicago, Illinois 60604

Subject: Re-notification of Intent to Remove Asbestos During a Renovation Project.

The Asbestos Abatement Project stated in our previous notification dated March 29, 1993, will not be completed by the scheduled May 30th deadline. Therefore we have re-issued this notification to reflect the revised completion date (June 30th) for this project.

If you have any questions or require further information, please contact me at (313) 323-0882.

Joseph D. Prece J. D. Preece

copy to: Asbestos Notification Coordinator
Air Quality Division
Michigan DNR
P.O. Box 30028
Lansing, MI 48090

Wayne County Health Department Air Pollution Control Division Suite 700, 640 Temple Detroit, MI 48201

Michigan Department of Public Health
ASBESTOS PROGRAM

DNR, AIR QUALITY DIV. 5AC-2 P.O. Box 30028 230 S		DNR/MDPH USE ONLY Xerox to Postmark Date: Cont'r Insp. This Fy Def. Letter Sent: Entered on Def. Log: FOLLOW UP Date: Notification # Comments: Spoke w/	Fax to: Rec'd Date: Rec'd OK Notific, Rev'd OK Resp. Due: Entered on Rec'd Log: Rev. Due: Transaction	Send Det Letter: Att'd: Att'd:
MDPH Asbestos Project Fee (To obtain 1% Project Fee Multiply total Project Cost by 0.01) Total Project Cost: 1% Project Fee:	x 0.01	Plumber Lic. # Electrical Lic.#	Mechanical	Builders Llc.#
1. ABATEMENT CONTRACTOR Name Ford Motor Compa 3001 Miller Road, CSB City/State/Zip Dearborn, Mi. 48121 Contact: J.D.Preece Phone:(313) DEMOLITION CONTRACTOR Name Mailing Address City/State/Zip Contact Phone:() 2. NAME OF FACILITY OWNER: Name Ford Motor Company Mailing Address 3001 Miller Road City/State/Zip Dearborn, Mi. 48121 Contact J.D.Preece Phone:(318)	ny 106 323–0882	MDPH- Demo, Reno, DNR/EPA Renovation DNR/EPA Emergency DNR/EPA Demolition Date of Notification Date of Revision (if and Its Asbestos Present? Type of Notification 3. FACILITY DESCRIPTION Building Name Street Address City Dearbook State Mich Description Description Description State Mich Description Des	Encap. (>10 Ln ft or 15 s (>260 Ln ft or 15 s (>260 Ln ft or 160 sq ft) r Renovation -10 working days notice emolition Yes XX Original EN (Asin Service To 3001 Miller Rosert) Zip Code 498121 arborn Area	q ft) 10 day notice 10 working days notice
Approximate Amount Of Asbestos Including: Regulate Indicate Unit of Measure		o be RACM to be	. · Mon	Cat. Il ACM not removed friable rial Not Removed Category II
Pipes v Ln Ft Ln M	3/10			
Surface Area Sq Ft Sq M				
Vol. of RACM Off Facility Components		,		
5. SCHEDULED DATES: Asbestos Removal Start: 04/16 6. DESCRIPTION OF PLANNED DEMO/RENO/ENCAP W 12" pipe. A full negative pre 7. DESCRIPTION OF WORK PRACTICES AND ENGINEE ENCAP SITE AND UNTIL PROPER DISPOSAL Ha	/93 Énd: /ORK, AND METH ssure cont	06/30/93 A.C. A.C. ainment will be c	Demolition Start: .M. will be re onstructed. TEMMISSIONS OF ASBE	
accord with 29 CFR 1910.134 & Al 8. WASTE DISPOSAL SITE NAME: Allen Park Ci Street Address: 17005 Oakwood Blvd.	<u>NSI Z88.2.</u>	. IF DEMO ORDERED BY A (Name:	GOVERNMENT AGENC	Y, IDENTIFY AGENCY

(continued on reverse side)

MI - INGRECT

9. Waste Transporter	#1	10. Waste Transporter #2	
Name: Ford Trans Address: 3001 Mi City: Dearbor	n Mi. 48121	Name:Address:Clty:	<u>.</u>
Contact Person: J.I).Preece	Contact Person:	
Phone: (313) —	0.Preece 323-0882	Phone: ()	
1. For Emergency Reno	7.		
Date and hour of emer	gëncy;	· · · · · · · · · · · · · · · · · · ·	·
Description of the sudo	den, unexpected event:		
· · · · · · · · · · · · · · · · · · ·			
Explanation of how the	e event caused unsafe conditions	or would cause equipment damage or an unrea	asonable financial burden:
material becomes c	rumbled, pulverized, or reduced	it that unexpected asbestos is found or previous for powder. Approved asbestos all ampling laboratory analysis	batment procedures
material becomes c	rumbled, pulverized, or reduced lowed. including bulk s	it that unexpected asbestos is found or previous for powder. Approved asbestos all ampling, laboratory analysis,	batment procedures sbatment clean un
material becomes c will be foll and air moni	rumbled, pulverized, or reduced lowed, including bulk s toring.	to powder. Approved asbestos al ampling, laboratory analysis,	batment procedures abatment, clean up,
material becomes c will be fold and air moni	rumbled, pulverized, or reduced lowed, including bulk s toring. analytical method, if appropriat	to powder. Approved ashestos al ampling, laboratory analysis,	batment procedures abatment, clean up,
material becomes c will be fold and air moni Procedure, including A recent buil	rumbled, pulverized, or reduced lowed, including bulk s toring. analytical method, if appropriat ding asbestos survey i	to powder. Approved asbestos al ampling, laboratory analysis,	batment procedures abatment, clean up, material: astos containing.
material becomes c will be fold and air moni B. Procedure, including A recent buil	rumbled, pulverized, or reduced lowed, including bulk s toring. analytical method, if appropriat ding asbestos survey i	to powder. Approved asbestos all ampling, laboratory analysis, and ampling, laboratory analysis, and a section of aspectos destricted this material as asbestos	batment procedures abatment, clean up, material: astos containing.
material becomes come will be followed and air monions. 3. Procedure, including A recent build Any questions. 3. I certify that an individemolition or renova	rumbled, pulverized, or reduced lowed, including bulk storing. analytical method, if appropriated in the provisions of	to powder. Approved asbestos all ampling, laboratory analysis, and ampling, laboratory analysis, and a section of aspectos destricted this material as asbestos	hatment procedures abatment, clean up, material:
material becomes come will be followed air monions. Procedure, including A recent build Any questions. I certify that an individemolition or renova	rumbled, pulverized, or reduced lowed, including bulk storing. analytical method, if appropriated in as bestos survey in the material will be reduced trained in the provisions of the and evidence that the requiremal business hours. (Required	to powder. Approved asbestos all ampling, laboratory analysis, see, used to detect the presence of asbestos dentified this material as asbeen-sampled and analyzed. If this regulation (40CFR Part 61, Subpart M) ired training has been accomplished by this beginning November 20, 1991).	patment procedures abatment, clean up, material:
material becomes come will be followed air monions. Procedure, including A recent build Any questions. I certify that an individemolition or renova	rumbled, pulverized, or reduced lowed, including bulk storing. analytical method, if appropriated in as bestos survey in the material will be reduced trained in the provisions of the and evidence that the requiremal business hours. (Required	to powder. Approved asbestos all ampling, laboratory analysis, and the second asbestos dentified this material as asbestos e-sampled and analyzed. If this regulation (40CFR Part 61, Subpart M) and training has been accomplished by this	hatment procedures abatment, clean up, material:
material becomes come will be followed air monions. Procedure, including A recent build Any questions. I certify that an individemolition or renova	rumbled, pulverized, or reduced lowed, including bulk storing. analytical method, if appropriated in as bestos survey in the material will be reduced trained in the provisions of the and evidence that the requiremal business hours. (Required	to powder. Approved asbestos all ampling, laboratory analysis, see, used to detect the presence of asbestos dentified this material as asbeen-sampled and analyzed. If this regulation (40CFR Part 61, Subpart M) ired training has been accomplished by this beginning November 20, 1991).	patment procedures abatment, clean up, material: estos containing. will be on-site during the person will be available for 06/01/93
material becomes come will be foll and air monions. Procedure, including A recent buil Any questions. I certify that an individemolition or renoval inspection during notes. I certify that the above.	rumbled, pulverized, or reduced lowed, including bulk storing. analytical method, if appropriated in the provisions of the analytical method, if appropriated in the provisions of the analytical field in the provisions of the analytical method in the provisions of the analytical field in the analytical fi	to powder. Approved asbestos all ampling, laboratory analysis, see, used to detect the presence of asbestos dentified this material as asbeen-sampled and analyzed. If this regulation (40CFR Part 61, Subpart M) ired training has been accomplished by this beginning November 20, 1991).	material: estos containing. will be on-site during the person will be available for Date
material becomes come will be followed and air monions. 3. Procedure, including A recent build Any questions. 4. I certify that an individemolition or renoval inspection during no	rumbled, pulverized, or reduced lowed, including bulk storing. analytical method, if appropriated in the provisions of the analytical method, if appropriated in the provisions of the analytical field in the provisions of the analytical method in the provisions of the analytical field in the analytical fi	to powder. Approved asbestos all ampling, laboratory analysis, see, used to detect the presence of asbestos dentified this material as asbestos re-sampled and analyzed. If this regulation (40CFR Part 61, Subpart M) and training has been accomplished by this beginning November 20, 1991). If the free former/Operator (Signature of Owner/Operator)	material: estos containing. will be on-site during the person will be available for 06/01/93 Date